	<u> </u>	DB	Time stamp
	Hits Search Text	USPAT;	2004/01/08
mber		US-PGPUB;	13:57
<u> </u>	8 "5831609"	EPO; JPO;	
	<u>, </u>	DERWENT;	
\		IBM TDB	2004/01/09
1		USPĀT;	2004/01/08
1	60 "6356284" or "5757925"	US-PGPUB;	13:37
}	100	EPO; JPO; DERWENT;	1
		IBM TDB	1
ļ		USPAT;	2004/01/08
	1192 (convert\$3) same gui	US-PGPUB;	14:04
	1192 (converts) Same	EPO; JPO;	
		DERWENT;	\(\frac{1}{2}\)
		IBM_TDB	2004/01/08
	2	USPAT;	1
	(174 ((convert\$3) same gui	US-PGPUB; EPO; JPO;	
	(174) ((convert; 3) Same 3spla\$3	DERWENT;	′
		IBM TDB	
		·	2004/01/08
	858 (port\$5 or transfer\$5 or cross\$10 or	US-PGPUB	; 14:04
	858 (port\$5 or transfer; multi\$16platform) near3 gui	EPO, 010	<i>;</i> \
	11102 1 - 1	DERWENT;	
		IBM_TDB	2004/01/06
	567 ((port\$5 or transfer\$5 or cross\$10	or USPAT; US-PGPUE	1
_	567 ((port\$5 or transfer3 or multi\$16platform) near3 gui	US-PGPUE	· 1
-	multi\$16platform) near3 gu1 multi\$16platform) or @rlad<200008	DERWENT	;
) and (@ad<20000029) @prad<20000829)	IBM TDB	Į.
	eprad 20000007		2004/01/06
	51 (((port\$5 or transfer\$5 or cross\$1	US-PGPU	B; \ 07:38
-	51 (((port\$5 or trainsred)) multi\$16platform) near3 gui multi\$16platform) or @rlad<20000) and (@ad<20000829 or @rlad<20000	829 or EPO; JP	
	and (@ad<20000025 02 000000000000000000000000000	DERWENT	[
	(Rorad<20000829)) and an parent)	near2 IDM_IDE	1
	(sub\$1window or ((child of put)) window) or (window same hierarch\$5 window) or (window same hierarch\$5	USPAT;	2004/01/06
		US-PGPU	l • r
-	near3 gui	1 550, 01	PO; \
	liearo y	DERWEN'	Γ;
]		IBM_TD	
1	50 ((port or cross\$10 or multi\$16pla	tform) USPAT;	
	50 ((port or cross\$10 or materale	US-PGP EPO; J	OD/ T
-		DERWEN	IT;
) and menu	IBM TD	ו מא
			2004/01/07
1	36 (((port or cross\$10 or multi\$16pl	US-PGE	OUB; \ 00:04
-	36 (((port of closs)) near3 gui	EPO;	JPO; \
	near3 gui	DERWEI	NT;
1		1 DF1_1	DB 2004/01/06
1	1+ + + + 16pla	tform) USPAI	, , , ,
_	(port or cross\$10 or multiplopid near3 gui same (platform or syst	em or US-PG	I OD!
_	near3 gul same (pluster	DERWE	NT;
1	environment)	IBM_T	ו אחי
			2004/01/00
1	22 ((port or cross\$10 or multi\$16pl		PUB; 07:46
\ -	l near3 gul same (prus-	(EPU)	JPO;
	environment)	DELWI	ENT;
) and menu	IBM_	TDB 2004/01/06
	110 multi\$161	platform) USPA	
1	15 (((port or cross\$10 or multival) near3 gui same (platform or sys	tem or US-P	GI ODI
\ -	near3 gul same (places	EPO,	JPO;
	environment) (0-d-20000829 o	r DERW	TDB
) and menu) and (@dd\20000082 @rlad<20000829 or @prad<2000082	9)	

	1			
-	<i>[</i> ^27]	((port\$5 or transfer\$5 or cross\$10 or	USPAT;	2004/01/06
:	1	multi\$16platform) near3 gui	US-PGPUB;	07:47
ŀ) and (awt or swing) and (@ad<20000829 or	EPO; JPO;	
i		@rlad<20000829 or @prad<20000829)	DERWENT;	
		-	IBM TDB	
_	254	(((port\$5 or cross\$10 or	USPĀT;	2004/01/07
		multi\$16platform) near3 gui	US-PGPUB;	14:12
			· ·	14.12
) and menu) and (@ad<20000829 or	EPO; JPO;	
		@rlad<20000829 or @prad<20000829)	DERWENT;	
			IBM_TDB	
-	1314	(((port\$5 or cross\$10 or	USPAT;	2004/01/07
		multi\$16platform) same gui	US-PGPUB;	14:13
) and menu) and (@ad<20000829 or	EPO; JPO;	
		@rlad<20000829 or @prad<20000829)	DERWENT;	
		eriad \20000025 Or epiad \20000025		
	1214	///====================================	IBM_TDB	2004/01/07
-	1314	(((port\$5 or cross\$10 or interoperabl\$5	USPAT;	2004/01/07
		or multi\$1platform) same gui	US-PGPUB;	14:13
) and menu) and (@ad<20000829 or	EPO; JPO;	
		@rlad<20000829 or @prad<20000829)	DERWENT;	
1	1	- - ,	IBM TDB	
_	0	(((((port\$5 or cross\$10 or	USPAT;	2004/01/07
1	I	multi\$16platform) near3 gui		
1			US-PGPUB;	14:14
1) and menu) and (@ad<20000829 or	EPO; JPO;	
		@rlad<20000829 or @prad<20000829)) and	DERWENT;	1
		widget\$1) and fidget\$1	IBM_TDB	
-		((((port\$5 or cross\$10 or	USPAT;	2004/01/07
		multi\$16platform) same gui	US-PGPUB;	14:14
	,) and menu) and (@ad<20000829 or	EPO; JPO;	
		@rlad<20000829 or @prad<20000829)) and	DERWENT;	
		widget\$1	ľ	
	_		IBM_TDB	
_	17	((((port\$5 or cross\$10 or	USPAT;	2004/01/07
	1	multi\$16platform) same gui	US-PGPUB;	14:15
•) and menu) and (@ad<20000829 or	EPO; JPO;	
		@rlad<20000829 or @prad<20000829)) and	DERWENT;	
		(port\$5 or cross\$10 or multi\$16platform	IBM TDB	
		or flexible) near4 widget		
1_	(135	((((port\$5 or cross\$10 or	USPAT;	2004/01/07
			1	
	1 1	multi\$16platform) same gui	US-PGPUB;	17:25
	1 1) and menu) and (@ad<20000829 or	EPO; JPO;	
		@rlad<20000829 or @prad<20000829)) and	DERWENT;	
		(mixin or widget)	IBM_TDB	[
-	143	((((port\$5 or cross\$10 or	USPAT;	2004/01/07
		multi\$16platform) same gui	US-PGPUB;	14:15
	1. ') and menu) and (@ad<20000829 or	EPO; JPO;	
	13	@rlad<20000829 or @prad<20000829)) and	DERWENT;	
1 6	44	((edit\$3 or rewrit\$3) near3 (interface or	IBM TDB	
	1		TDL _ TDB	
	1	widget))	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	2004/01/07
-	46	(port\$3 near2 gui) and ((edit\$3 or	USPAT;	2004/01/07
	1 1	rewrit\$3 or modif\$5) near3 (interface or	US-PGPUB;	14:16
	1 1	widget))	EPO; JPO;	
	1		DERWENT;	
			IBM TDB	
-	30	((port\$3 near2 gui) and ((edit\$3 or	USPAT;	2004/01/07
1		rewrit\$3 or modif\$5) near3 (interface or	US-PGPUB;	14:16
1		widget))) and (@ad<20000829 or	EPO; JPO;	
				[
	1	@rlad<20000829 or @prad<20000829)	DERWENT;	
			IBM_TDB	/-
-	14	((((port\$5 or cross\$10 or	USPAT;	2004/01/07
		multi\$16platform) same (motif and	US-PGPUB;	20:30
		window\$1) and gui	EPO; JPO;	
	\) and menu) and (@ad<20000829 or	DERWENT;	
	\	@rlad<20000829 or @prad<20000829)) and	IBM TDB	
1	\ \	(mixin or widget)	TDI TDD	
1_	'~		110020	2004/01/00
-	3	"5956029"	USPAT;	2004/01/08
			US-PGPUB;	13:56
	1		EPO; JPO;	
	1		DERWENT;	
			IBM TDB	
	•	· · · · · · · · · · · · · · · · · · ·		